OVERALLS MOUSE



CROCHET PATTERN

© ALL RIGHTS RESERVED
FOR PERSONAL USE ONLY, DO NOT DISTRIBUTE.

CONTENTS



Level : ★★★☆☆

IF YOU'RE NEW TO CROCHET, BEGINNING WITH JUST THE PATTERN MIGHT BE DIFFICULT.

CHECK OUT OUR
《BASIC CROCHET TECHNIQUES GUIDE》
FOR DETAILED PHOTO INSTRUCTIONS
ON THE TECHNIQUES.

THIS PATTERN IS MADE TO ALIGN WITH THE SPECIFIC MATERIALS PROVIDED IN THE GUBOLAY CROCHET KIT - OVERALLS MOUSE

- Scan the QR to view "Basic Crochet Guide".

We made this pattern available for free, so you're welcome to use the pattern with different yarn and hooks if you're feeling adventurous.
Just a heads up: since this pattern is optimized for the kit's contents, using alternative materials may yield different results. You can totally have fun with it. You're stepping into a world of creative possibility with every stitch, and at Gubolay, we're here to make sure you have a fantastic time doing it.
Happy crocheting!

ABBREVIATIONS

Gubolay patterns adhere to US crochet terminology.

SC: Single Crochet

INC: Increase

DEC: Decrease

ST: Slip Stitch

CH: Chain Stitch

HDC: Half Double Crochet

TR: Triple Crochet

DC: Double Crochet

FLO: front loop only

BLO: back loop only

This project is crocheted in continuous rounds, and we use 《row》 and 《round》 interchangeably.

READING THE PATTERN

Rnd2:(2sc,inc) * 6,(24sts)

Rnd2	(2sc,inc) * 6	(24 sts)
Row or round number	What stitches to do in this round,and how many times	Total number of stitches in the round or row

For round 2, repeat the pattern in the brackets for 6 times. The pattern is: single crochet in each of the first 2 stitches, then increase stitch in the next stitch.Because an increase is actually 2 single crochet stitches in the same stitch of the previous round, the total number of stitches in this round is 24.

FINISHING CROCHET PIECES

Depending on the piece you're working on, youwill need to use one of these methods tofinish it off:

INVISIBLE FASTEN-OFF:

Pull the yarn tail through the last stitch.Use a tapestry needle to thread the tail, then pass it under the stitch after the next one. Guide the needle between the ""of the stitch you just came from, from top to bottom,and out the other side. Pull the tail so the new stitch matches the others in size. Lastly, weave the needleunder the nearby horizontal bar for added security.

FASTEN-OFF:

Slide the needle under the front loop of each of stitches, one by one, from the inside to the outside,then pull on the yarn tail to tighten the hole in the middle. Hide the yarn tail and cut off the excess yarn.

CROCHET EDGES TOGETHER:

Join the sides together. Align the first and last stitches of the round.insert your hook through both stitches and make a single crochet stitch. Continue crocheting through both sides of the round.If it's easier, start with the first and second-to-last stitches instead.

Pattern - Overalls Mouse

With / Change the color of the yarn:

Blue White Light khaki

Top Tips: *Start with a magic ring, working in rounds which are joined together at the end of each round.*

1. **Head** (Make1)

(View the detailed photos of the steps online)

Working into a magic ring

Rnd 1: ch,6sc, ss *(6sts)*

Rnd 2: ch, 6inc, ss *(12sts)*

Rnd 3: ch, (sc, inc)*6, ss *(18sts)*

Rnd 4: ch, (sc, inc, sc)*6, ss *(24sts)*

Rnd 5: ch, (3sc, inc)*6, ss *(30sts)*

Rnd 6: ch, 30sc, ss *(30sts)*

Rnd 7: ch, (2sc, inc, 2sc)*6, ss *(36sts)*

Rnd8-9: ch, 36sc, ss *(36sts) (2 Rnds)*

Rnd10: ch, (5sc,inc)*6, ss *(42sts)*

Add safety eyes between R9&R10,about 7 stitches apart.

Rnd11-14: ch, 42sc, ss *(42sts) (4 Rnds)*

Rnd15: ch, (5sc, dec)*6, ss *(36sts)*

Rnd16: ch, (4sc,dec)*6, ss *(30sts)*

Rnd17: ch, (3sc,dec)*6, ss *(24sts)*

Whiskers

1. Cut a 3.9inch wire.

2. Insert the wire into the fabric:

Starting point: Left edge of the right eye, 2 Rnds below the eye.

3. Exit the wire:

From the starting point, count 4 stitches to the left (position the wire here).

4. Re-insert the wire:

Move 1 stitch to the right from the exit point to form a secure knot.

5. Final exit:

Bring the wire out at the right edge of the left eye, 2 rounds below it.

Stuff the fabric with fiebrfill.

Rnd18: ch, (sc, dec, sc)*6, ss *(18sts)*

Faten off.

Whiskers

7. *Cut two 2.5inch wires to create upper/lower whiskers.*

8. Insert each wire below both eyes at Rnd 12 (insertion point).

9. Exit 14 rnds below the insertion point.



2.Body & Legs (Make 1)

(View the detailed photos of the steps online)

Crochet First Leg. Working into a magic ring.

Rnd 1: ch,6sc, ss *(6sts)*

Rnd 2: ch, 6inc, ss *(12sts)*

Rnd 3-7: ch, 12sc, ss *(12sts)* *Fasten off first leg.*

Crochet Second Leg. Working into a magic ring

***Rnd 1:** ch,6sc, ss (6sts)*

***Rnd 2:** ch, 6inc, ss (12sts)*

***Rnd 3-7:** ch, 12sc, ss (12sts)*

On second leg chain three and join to the first leg with a sc into the first stitch of R7 of the first leg.
(this will be your first sc of R8)
Stuff the leg.

Rnd 8: 3ch, 12sc (First leg) + 3sc on 3chain stitches, 12sc(Second leg) + 3sc on 3chain stitches, ss *(30sts)*





12sc(First leg) + 3sc on 3chain stitches



12sc(Second leg) + 3sc on 3chain stitches



Rnd 9-10: ch, 30sc, ss *(30sts)*
Rnd 11: ch, 5sc, 2inc, 13sc, 2inc, 8sc, ss *(34sts)*
Rnd 12: ch, 34sc, ss *(34sts)*
Rnd 13: ch, 6sc, dec, 15sc, dec, 9sc, ss *(32sts)*
Rnd 14: ch, 32sc, ss *(32sts)*
Rnd 15: ch, 5sc, dec, 15sc, dec, 8sc, ss *(30sts)*
Rnd 16: ch, 5sc, dec, 13sc, dec, 8sc, ss *(28sts)*
Rnd 17: ch, 4sc, dec, 13sc, dec, 7sc, ss *(26sts)*
Rnd 18: ch, 3sc, 2dec, 9sc, 2dec, 6sc, ss *(22sts)*
Rnd 19: ch, 2sc, 2dec, 7sc, 2dec, 5sc, ss *(18sts)*
Stuff the fabric with fiebrfill.
Fasten off and leave a long end for sewing.





3.Arms (Make 2)

Working into a magic ring
Rnd 1: ch, 4sc, ss *(4sts)*
Rnd 2: ch, 4inc, ss *(8sts)*
Rnd 3-4: ch, 8sc, ss *(8sts)*
Rnd 5: ch, (sc,dec,sc)*2, ss *(6sts)*
Rnd 6-7: ch, 6sc, ss *(6sts)*
Stuff the fabric with fiebrfill.
Fasten off and leave a long end for sewing.

4.Tail (Make 1)

Working into a magic ring
Rnd 1: ch, 5sc *(5sts)*
No need to connect the beginner and end with slip stitch.
When moving to the next round,
just crochet directly without making a chain stitch.
Rnd 2-25: 5sc *(5sts) (24Rnds)*
Cut a piece of iron wire the length of a tail and insert it into it.

5.Overall (Make 1)

（View the detailed photos of the steps online）

Front (Chest Side): The part covering the chest area.
Back (Seat Side): The part covering the bottom/hips.

<u>Overalls'legs</u>

Rnd 1: 36ch, jion with slip stitch to form a ring, ch, work in BLO:36sc, ss *(36sts)*

(First leg)

Rnd 2-5: ch, 18sc, ss *(18sts)*

Rnd 6: ch, work in FLO:18sc, ss *(18sts)* *Fasten off*

(Second leg)

Rnd 2-5: ch, 18sc, ss *(18sts)*

Rnd 6: ch, work in FLO18sc, ss *(18sts)* *Fasten off*







Overalls'bib

Insert the hook into the 1st stitch of Rnd 1 in the overalls'legs pattern.

Rnd 1-2: ch, 36sc, ss *(36sts) (2Rnds)*

Rnd 3: ch, 16sc, 5ch, skip5sts, 15sc, ss *(31sts)*

Rnd 4: ch, 16sc, 5sc in chain loop, 15sc, ss *(36sts)*

Rnd 5-6: ch, 36sc, ss *(36sts) (2Rnds) Fasten off*

Front (Chest Side)



Back (Seat Side)



Overalls'straps

Insert the hook into the center of Rnd 6 (bib,back side)

Rnd 7: ch, 5sc, 20ch, from the 8th chain:13sc, 2sc, 8ss, 2ch, 9dc, 2ch, 6ss, 2sc, 20ch, from the 8th chain:13sc, 4sc *Fasten off*



Insert the hook into the center of Rnd 6 (bib,back side)







After finishing, use glue to stick the button onto the front of the Overalls (as shown in the picture).

Sew up the body of the mouse, connect the head to the body, and sew the arms on both sides of the body.





Put the overalls on the mouse, confirm the position of the tail on the back (the position of the hole in the overalls), and sew the tail on (take off the trousers before sewing).



6.Ears(Make 2)

Working into a magic ring

No need to connect the beginner and end with slip stitch.
When moving to the next round,
just crochet directly without making a chain stitch.

Rnd 1: ch, 6sc *(6sts)*
Rnd 2: 6inc *(12sts)*
Rnd 3: (sc,inc)*6 *(18sts)*
Rnd 4: (2sc,inc)*6 *(24sts)*
Rnd 5: (3sc,inc)*6 *(30sts)*
Rnd 6: 30ss



Sew the two ears on both sides of the head (as shown in the picture).



7.Nose (Make 1)

Working into a magic ring

Rnd 1: *2ch, 6dc, ss (6sts)*

Sew the nose onto the part where the iron wire protrudes from the mouse's face (as shown in the picture).

